## NOMENCLATURE FOR PYROLYSIS EXPERIMENTS INVOLVING H<sub>2</sub>O

M. D. Lewan U.S. Geological Survey Box 25046, MS 977 Denver Federal Center Denver, CO 80225

The importance of H<sub>2</sub>O in laboratory pyrolysis experiments designed to simulate natural processes is well documented in studies of coalification (Berl and Schmidt, 1932; Schuhmacher et al., 1960) and petroleum formation (Jurg and Eisma, 1964; Lewan et al., 1979). Industrial pyrolysis processes also benefit from the presence of H<sub>2</sub>O as demonstrated in oil-shale retorting (Gavin, 1922, p. 181), conversion of coal to oil (Fischer, 1925, p. 180), heavy oil upgrading (McCollum and Quick, 1976a and b), and conversion of organic refuse to oil (Appell et al., 1971 and 1975). As experimental work continues to indicate that the phase as well as the presence of H<sub>2</sub>O are important in natural and industrial processes, a nomenclature for pyrolysis experiments involving different H<sub>2</sub>O phases is needed to improve interlaboratory communication and comparison of results. The following nomenclature is proposed to meet this need.

Hydrous pyrolysis as originally defined by Lewan and others (1979) denotes experiments in which a sample is pyrolyzed in contact with H<sub>2</sub>O liquid. This condition best represents subsiding sedimentary basins in which the pores and fractures in sedimentary rocks are usually filled with water. As shown in Figure 1, the upper temperature limit for pure H<sub>2</sub>O in this type of pyrolysis is 374°C, but higher temperature limits in excess of 600°C may be obtained by the addition of soluble salts (i.e., NaCl). H<sub>2</sub>O in hydrous pyrolysis experiments typically occurs as both liquid and vapor, unless pressure regulators are employed to maintain only a liquid phase. It is important in the vapor/liquid H<sub>2</sub>O system to optimize the amount of water used for specific reactor and sample volumes to insure that the sample is completely submerged in the liquid phase during pyrolysis (Lewan, 1993).

Supercritical H<sub>2</sub>O pyrolysis denotes experiments in which a sample is pyrolyzed in contact with a supercritical fluid containing more than 50 mole % H<sub>2</sub>O. Although the lower temperature limit for pure water in this type of pyrolysis is 374°C, this critical temperature may be lowered below 300°C with the addition of CO<sub>2</sub> to the system (Figure 1). Supercritical H<sub>2</sub>O pyrolysis represents deep crustal regimes where metamorphic grades in excess of greenschist facies occur.

Steam pyrolysis is more difficult to define because sedimentary organic matter and its accompanying rock usually generate or liberate minor amounts of H2O during experiments commonly referred to as dry or anhydrous pyrolysis. The headspace in these experiments is typically sufficient for the minor amounts of

evolved H<sub>2</sub>O to occur as vapor at a partial pressure dictated by the available volume and experimental temperature. As an operational definition, it is suggested that steam pyrolysis denotes experiments in which a sample is pyrolyzed in contact with H<sub>2</sub>O vapor at partial pressures in excess of 20 percent of its saturated vapor pressure at experimental temperatures. Steam pyrolysis represents localized near-surface conditions where geothermal vents or subaerial volcances are active.

Hydrous, supercritical H<sub>2</sub>O, and steam pyrolysis may be collectively referred to as hydrothermal pyrolysis or aquathermolysis (e.g. Siskin et al., 1990). These collective names are particularly useful for referring to pyrolysis experiments in which insufficient information is given to assess the H<sub>2</sub>O phases present or the phase in which a reaction has occurred at experimental conditions.

## REFERENCES

- Appell, H. R., Fu, Y. C., Illig, E. G., Steffgen, F. W., and Miller, R. D., 1975, Conversion of cellulosic wastes to oil: U.S. Dept. of Interior, Bur. Mines Rept. Invest. 8013.
- Appell, H. R., Fu, Y. C., Friedman, S., Yavorsky, P. M., and Wender, I., 1971, Converting organic wastes to oil: A replenishable energy source: U.S. Dept. of Interior, Bur. Mines Rept. Invest. 7560.
- Berl, E., and Schmidt, A., 1932, Über die Entstehung der Kohlen, II. Die Inkohlung von Cellulose and Lignin in neutralem Medium: A. der Chemie 493:97.
- Fischer, F., 1925, The Conversion of Coal into Oils, Ernest Benn Ltd., London.
- Gavin, M. J., 1922, Oil-Shale: An historical, technical, and economic study: Dept. of Interior, Bur. Mines Bulletin 210, Bradford-Robinson, Denver.
- Haas, J. L, Jr., 1976, Thermodynamical properties of the coexisting phases and thermochemical properties of the NaCl component in boiling NaCl solutions: U.S. Geol. Surv. Bull. 1421-B.
- Jurg, J. W., and Eisma, E., 1964, Petroleum Hydrocarbons: Generation from fatty acid: Science 144:1451.
- Lewan, M. D., 1993, Labortory simultion of petroleum formation: Hydrous pyrolysis, in Organic Geochemistry (M. H. Engel and S. A. Macko, eds.), Plenum, New York (in press).
- Lewan, M. D., Winters, J. C., and McDonald, J. H., 1979, Generation of oil-like pyrolyzates from organic-rich shales. Science 203:897.
- McCollum, J. D., and Quick, L. M., 1976a, Process for upgrading a hydrocarbon fraction: U.S. Patent 3, 960:708.
- McCollum, J. D., and Quick, L. M., 1976b, Process for upgrading a hydrocarbon fraction: U.S. Patent 3, 989, 618.
- Schuhmacher, J. P., Huntjens, F. J., and van Krevelen, D. W., 1960, Chemical structure and properties of coal XXVI. Studies on artificial coalification: *Fuel* 39:223.
- Siskin, M., Brons, G., Katritzky, A. R., and Balasubramanian, 1990, Aqueous Organic Chemistry 1. Aquathermolysis: Comparison with thermolysis in the reactivity of aliphatic compounds: Energy & Fuels 4:475.

Sourirajan, S., and Kennedy, G. C., 1962, The system H<sub>2</sub>O-NaCl at elevated temperatures and pressures: Am. Jour. Sci., 260:115.
Takenouchi, S., and Kennedy, G. C., 1964, The binary system H<sub>2</sub>O-CO<sub>2</sub> at high temperatures and pressures: Am. Jour. Sci. 262:1055.




Figure 1. Pressure-temperature diagram showing phase relations and critical points for pure H<sub>2</sub>O (heavy solid lines), CO<sub>2</sub> in solution with H<sub>2</sub>O (solid circles on light solid line refer to critical points at denoted CO<sub>2</sub> mole fractions), 10 wt% NaCl solution with H<sub>2</sub>O (dashed lines), and 20 wt% NaCl solution with H<sub>2</sub>O (dotted lines). Diagram is based on experimental data reported by Haas (1976), Sourirajan and Kennedy (1962), and Takenouchi and Kennedy (1964).